GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public Services - Irrigation & CAD Department - Allegations of Substandard Execution of work in "Strengthening of Banks, lining and repairs to structures etc., (Rehabilitation & Modernization) all Major and Minor in Block Nos. 11A to 14 of N.S. Right Canals, Vinukonda, Guntur Dist. - Departmental Proceedings against Sri V. Rama Subba Reddy, Dy. Executive Engineer (Retd.) Sanction under Rule 9 of A.P. Revised Pension Rules, 1980 for initiation of Departmental action - Orders - Issued.

IRRIGATION & C.A.D. (Ser.VII.(V&E-2)) DEPARTMENT

G.O.Ms.No. 4 Dated: 02-01-2012

ORDER:

Where as it has been brought to the notice of the Government that Sri V. Rama Subba Reddy, Dy. Executive Engineer (Retd.), while working at NSRC O&M and SIFT Sub –Division No.1, Vinukonda has committed dereliction of duties amounting to misconduct and thus violated Rule (3) of Andhra Pradesh Civil Services (conduct) Rules, 1964 and whereas Government have come to a conclusion that there exists a prima facie case to initiate departmental action against Sri V. Rama Subba Reddy, Dy. Executive Engineer (Retd.).

- 2. Government of Andhra Pradesh, therefore, in exercise of the powers conferred on them under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 hereby accord sanction to initiate Departmental Proceedings against the said Sri V. Rama Subba Reddy, Dy. Executive Engineer (Retd.).
- 3. It is further directed that the said Departmental proceedings shall be conducted in accordance with the procedure laid down in Rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri V. Rama Subba Reddy, Dy. Executive Engineer (Retd.)(Through Engineer-in- Chief (AW), I & CAD Hyderabad). Copy to:

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

//FORWARDED : BY ORDER//

SECTION OFFICER